

# ELEN 18

## ELECTRIC - POLISHED STAINLESS STEEL




Polished stainless steel

### FEATURES

- Class protection: CLASS 1
- Minimum ingress protection: IP 44
- Wire length: 1200 mm with Schuko plug
- Power supply: 230Vac 50Hz (with WiFi digital thermostat)
- Power supply: 230Vac 50/60Hz (with ECO DESIGN digital thermostat)
- Seasonal energy efficiency  $\eta_s$ : 51,6% (with WiFi digital thermostat)
- Seasonal energy efficiency  $\eta_s$ : 50,5% (with ECO DESIGN digital thermostat)

### HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2.  
In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.

### MATERIAL:

- Ø 30 mm vertical collectors in polished stainless steel.
- Ø 18 mm horizontal elements in polished stainless steel.
- Heat transfer fluid.

### FIXING KIT:

Brackets, hex key, airvent, dowels and screws suitable for use on solid walls or perforated bricks, assembly instructions.  
The fixing kit is compliant with VDI 6036 norm, class 4.

### PACKAGING:

The radiator is protected by recyclable cardboard box. User notice included.

### FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

### CERTIFICATES



### AVAILABLE FUNCTIONS

- ☒ With WiFi digital thermostat
- ☒ With ECO DESIGN digital thermostat

### THERMOSTAT FINISH

#### WiFi version:

- CHROMED.

#### ECO DESIGN version:

- CHROMED.



Cordivari ErP electric radiators are characterised by high efficiency. These models comply with EU Regulation 2024/1103. The seasonal energy efficiency of these fixed electric space heating appliances, with nominal Thermal output >250 W, is over 46% in all models. Each of the ErP electric radiators is equipped with at least electronic temperature control, window opening detection, weekly programming and stand-by power consumption <0.5 W (or 2.0 W in Wi-Fi mode, where applicable).

### AVAILABLE ACCESSORIES




Kit 2 hooks polished stainless steel




Towel bar polished stainless steel


Complete list, codes and details of the ACCESSORIES





27 ELEMENTS



47 ELEMENTS




63 ELEMENTS



(\*) The fixing kit has the same pipe centre (l) as the radiator


○ The total height has to be calculated considering the thermostat height



## ELEN 18 ELECTRIC WIFI - POLISHED STAINLESS STEEL

Height	Width	Fixing kit center distance		Output	Weight
[mm]	L [mm]	l [mm] (*)	Art. nr.	[Watt]	[Kg]
<b>760</b>	480	450	3581440400053	300	14
<b>1410</b>	480	450	3581440400054	500	24
<b>1885</b>	530	500	3581440400055	700	32

Technical specification of the WiFi thermostat, see our range of digital thermostats



## ELEN 18 ELECTRIC ECO DESIGN - POLISHED STAINLESS STEEL

Height	Width	Fixing kit center distance		Output	Weight
[mm]	L [mm]	l [mm] (*)	Art. nr.	[Watt]	[Kg]
<b>760</b>	480	450	3581440400056	300	14
<b>1410</b>	480	450	3581440400057	500	24
<b>1885</b>	530	500	3581440400058	700	32

Technical specification of the ECO DESIGN thermostat, see our range of digital thermostats