



# FRAME® ELECTRIC



EUROPEAN WARRANTY

## MATERIAL:

Horizontal collector in painted mild steel with  $\varnothing$  of 30 mm  
Heating elements in painted mild steel  
Heating plate in painted mild steel  
Glycolate water

## FIXING KIT:

Brackets, hexagonal tool, plugs and screws suitable for use on compact or hollow brick, installation notice.  
The fixing kit is compliant with VDI 6036 norm, class 4.

## PACKAGING:

The radiator is protected by a film in polyethylene and with a carton box.  
Use and maintenance notice included.

## PAINTING PROCESS:

Painted with ecological epoxy. (Certificate DIN 55900-1,-2).

## COLORS:

Radiators and accessories: standard white R01 color.  
For other colors see color chart.

## PRODUCT CERTIFICATES



Electrical resistors: CLASS 1


Minimum class protection: IP 44

Seasonal energy efficiency  $\eta_s$ :  $\geq 38\%$

Wire Length: 1200 mm with Schuko plug

Electrical only: with digital thermostat and remote control

## HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected.  
The electric radiators must be always installed outside zone 1 and 2.  
In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to anyone using the shower or bath.



All Cordivari electric radiators are in line with the new European regulation UE 2015/1188. The new regulation imposes a seasonal energy efficiency of electrical appliances for ambient heating with a nominal thermal output over 250 W and not less than 38%.

The seasonal energy efficiency of ambient heating ( $\eta_s$ ) is expressed with the ratio between the demand of ambient heating supplied by a heating appliance and the annual energy consumption required to meet this demand, expressed as percentage. The Cordivari ErP is in line with the new Ecodesign directives, which are characterized by a great efficiency combined with the maximum attention to energy saving. In particular the radiators are at least equipped with: electronic temperature control; open window sensor; weekly program timer.

Thanks to the new fully programmable digital thermostats and sensors present on the radiators, now the new Cordivari ErP electric radiators, heat, efficiency and energy saving are the best allies of your comfort.

## INCLUDED



### Remote control for top digital thermostat

#### MAIN FEATURES AND FUNCTIONS:

CRONO: function of chrono-thermostat with daily or weekly programming with two temperature levels (Comfort/Eco)  
COMFORT: Possibility of setting your own desired temperature for time slot for higher comfort  
ECO: Possibility of keeping the temperature constant with lower power consumption. Useful for energy saving when the room is not occupied.  
ANTI-FREEZE: Useful if the room is not used for long periods  
TIMER/BOOST: Useful to heat rapidly the room and dry towels thanks to 2h of forced march at max. Power.  
CHILD SAFETY LOCK: special purpose lock of the display panel so to avoid any accidental alteration  
REMOTE CONTROL: The digital thermostat is equipped with an infrared remote control, useful to manage all the aforementioned functions.







## ACCESSORIES



### TOWEL BAR PAINTED FOR MODELS FRAME ELECTRIC - FRAME BLOWER



L. 502 (L= 560 mm)  
Art. Nr. 5991990310664

L. 552 (L= 610 mm)  
Art. Nr. 5991990310665



POSITIONING OF  
TOWEL BAR (ACCESSORIES)

H	H1	H2	H3
[mm]			
<b>1192</b>	430	630	1030
<b>1416</b>	430	730	1230
<b>1808</b>	530	830	1230



## TOP DIGITAL THERMOSTAT

The general footprint has to be calculated considering the thermostat height.

## FRAME ELECTRIC

Art. Nr.	Height	Width	Thermal output	Weight
	H [mm]	L [mm]	Watt	[Kg]
KIT - DIGITAL THERMOSTAT				
3605556100001	<b>1192</b>	502	700	23
3605556100002	<b>1416</b>	502	900	26
3605556100003	<b>1416</b>	552	1000	29
3605556100004	<b>1808</b>	552	1200	37

Art. Nr. referred to WHITE R01 color version.