

# LEILA

## ELECTRIC - POLISHED STAINLESS STEEL




Polished stainless steel

### FEATURES

- Class protection: CLASS 1
- Minimum ingress protection: IP 44
- Wire length: 1200 mm with Schuko plug
- Power supply: 230Vac 50Hz (with WiFi digital thermostat)
- Power supply: 230Vac 50/60Hz (with ECO DESIGN digital thermostat)
- Seasonal energy efficiency  $\eta_s$ : 51,6% (with WiFi digital thermostat)
- Seasonal energy efficiency  $\eta_s$ : 50,5% (with ECO DESIGN digital thermostat)

### HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2. In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.

### MATERIAL:

- Ø 30 mm vertical collectors in polished stainless steel.
- Ø 18 mm horizontal elements in polished stainless steel.
- Heat transfer fluid.

### FIXING KIT:

Brackets, hex key, airvent, dowels and screws suitable for use on solid walls or perforated bricks, assembly instructions. The fixing kit is compliant with VDI 6036 norm, class 4.

### PACKAGING:

The radiator is protected by recyclable cardboard box. User notice included.

### FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

### CERTIFICATES



### AVAILABLE FUNCTIONS

- ☒ With WiFi digital thermostat
- ☒ With ECO DESIGN digital thermostat

### THERMOSTAT FINISH

#### WiFi version:

- CHROMED.

#### ECO DESIGN version:

- CHROMED.




Cordivari ErP electric radiators are characterised by high efficiency. These models comply with EU Regulation 2024/1103. The seasonal energy efficiency of these fixed electric space heating appliances, with nominal Thermal output >250 W, is over 46% in all models. Each of the ErP electric radiators is equipped with at least electronic temperature control, window opening detection, weekly programming and stand-by power consumption <0.5 W (or 2.0 W in Wi-Fi mode, where applicable).

### AVAILABLE ACCESSORIES



Space-saving clothesline in plexiglass and steel


Complete list, codes and details of the ACCESSORIES



(\*) The fixing kit has the same pipe centre (I) as the radiator

○ The total height has to be calculated considering the thermostat height

NEW


DIGITAL THERMOSTAT  
WIFI

## LEILA ELECTRIC WIFI - POLISHED STAINLESS STEEL

Height	Width	Fixing kit center distance		Output	Weight
[mm]	L [mm]	I [mm] (*)	Art. nr.	[Watt]	[Kg]
<b>1150</b>	500	470	3581560400024	300	13
<b>1512</b>	500	470	3581560400025	500	18
<b>1750</b>	500	470	3581560400026	600	21

Technical specification of the WiFi thermostat, see our range of digital thermostats

NEW

DIGITAL THERMOSTAT  
ECO DESIGN

## LEILA ELECTRIC ECO DESIGN - POLISHED STAINLESS STEEL

Height	Width	Fixing kit center distance		Output	Weight
[mm]	L [mm]	I [mm] (*)	Art. nr.	[Watt]	[Kg]
<b>1150</b>	500	470	3581560400021	300	13
<b>1512</b>	500	470	3581560400022	500	18
<b>1750</b>	500	470	3581560400023	600	21

Technical specification of the ECO DESIGN thermostat, see our range of digital thermostats

ARDESIA®

TOWEL RAILS

ELECTRIC &amp; BLOWER

STAINLESS STEEL

LIVING

ACCESSORIES  
TECHNICAL SUPPORT