



TESSUTO®

design by **Marco Pisati**

PATENTED



5 YEARS WARRANTY

MATERIAL:

Aluminium heating elements 150 mm.

FIXING KIT:

Brackets, air vents, hexagonal tool, plugs and screws suitable for use on compact or hollow brick, installation notice included. The fixing kits are compliant with VDI 6034 norm, class 4.

PACKAGING:

The radiator is protected by protective corners, film in polyethylene and with a carton box.

PAINTING PROCESS:

Painted with ecological epoxy (Certificate DIN 55900-1,-2).

COLORS:

Radiator and fixing kit: standard white color R01. For other colors see color chart.

PRODUCT CERTIFICATES



AWARD



red dot winner 2022



P. max: 6 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x G 1/2" - n° 1 x G 1/2"

Valve and holder not included from heights 550÷1000

HOW TO ORDER THE TESSUTO

ARTICLE CODE STRUCTURE

Radiator model	Width (Elements N°)	Height H in cm	Article code of the connection	Article code of the color/finish Different color from standard (R01 - R02) surcharge +30%	Constant value
AAAA	BB	CCC	DDD	EEE	B

Example

Radiator model Example: Radiator Tessuto	Width (Elements N°) Example: 3 Elements	Height H in cm Example: 1000 mm	Article code of the connection Example: connection V11	Article code of the finish Example: White color R01	Constant value
TESS	03	100	V11	R01	B

EXAMPLE OF ARTICLE CODE CREATION

In case of a TESSUTO 452x1000 mm, with V11 connection.

The article code will be:

TESS 03 100 V11 R01 B

ACCESSORIES



Elegant square with thermostatic head valve kit, painted pure white R01

Copper connection Ø 12/14/15
Art. Nr. 5991990310539

Multilayer connection Ø 16 x2
Art. Nr. 5991990310538



Elegant square pipe centres 50 mm valve kit painted pure white R01 with thermostatic head - right

Copper connection Ø 12/14/15
Art. Nr. 5991990310543


Multilayer connection Ø 16 x2
Art. Nr. 5991990310542




PIPE COVERING KIT
Available with valve

Art. Nr. 5103000000089


V1-V2-V3-V4-V5-V6



V7-V8



V11




Measures for Elegant square manual valve




HOOK LEFT
L. 156 mm
Pure White R01

Art. Nr. 5991990310688




EACH RADIATOR IS UNIQUE


Each Tessuto radiator is unique, the image is always similar to the original but the rhythm is always different, resulting in infinite rhythms and designs. The assembly of the elements involves random combinations of the motif that makes each radiator a "unique" piece different from the others.



Standard connections



Special connections



Always specify the kind of connection needed when ordering.

Legend =

► In ◄ Out ◄◄ Airvent
| Pipe Centres L Width □ Connection

TESSUTO®

DDD: replace with the type of connection.

Art. Nr.	Height	Width	El. N°	Pipe Centres V3 - V4	Dry Weight	Surface	Water Content	Thermal output Watt		Exponent n.
	H [mm]	L [mm]		I [mm]				Δt = 50°C	Δt = 30°C	
TESS 03 055 DDD R01 B	550	452	3	500	7,4	1,0	0,5	278	144	1,2870
TESS 04 055 DDD R01 B		603	4	500	9,8	1,3	0,7	371	192	1,2870
TESS 05 055 DDD R01 B		754	5	500	12,3	1,7	0,9	464	241	1,2870
TESS 06 055 DDD R01 B		905	6	500	14,7	2,0	1,1	556	289	1,2870
TESS 03 065 DDD R01 B	650	452	3	600	8,6	1,2	0,6	320	165	1,2900
TESS 04 065 DDD R01 B		603	4	600	11,5	1,6	0,8	426	220	1,2900
TESS 05 065 DDD R01 B		754	5	600	14,3	1,9	1,0	533	276	1,2900
TESS 06 065 DDD R01 B		905	6	600	17,2	2,3	1,2	639	331	1,2900
TESS 03 075 DDD R01 B	750	452	3	700	9,8	1,3	0,6	359	186	1,2931
TESS 04 075 DDD R01 B		603	4	700	13,1	1,8	0,9	479	248	1,2931
TESS 05 075 DDD R01 B		754	5	700	16,4	2,2	1,1	599	310	1,2931
TESS 06 075 DDD R01 B		905	6	700	19,7	2,7	1,3	719	371	1,2931
TESS 03 085 DDD R01 B	850	452	3	800	11,1	1,5	0,7	398	206	1,2962
TESS 04 085 DDD R01 B		603	4	800	14,8	2,0	0,9	531	274	1,2962
TESS 05 085 DDD R01 B		754	5	800	18,5	2,5	1,2	664	343	1,2962
TESS 06 085 DDD R01 B		905	6	800	22,2	3,0	1,4	796	411	1,2962
TESS 03 100 DDD R01 B	1000	452	3	950	12,9	1,7	0,8	455	234	1,3008
TESS 04 100 DDD R01 B		603	4	950	17,3	2,3	1,0	606	312	1,3008
TESS 05 100 DDD R01 B		754	5	950	21,6	2,9	1,3	758	390	1,3008
TESS 06 100 DDD R01 B		905	6	950	25,9	3,5	1,5	910	468	1,3008

Art. Nr. are referred to WHITE R01 color version.

For output at different Δt than 50°C, please refer to the following formula = desired output = output at Δt 50°C x (desired Δt/50)ⁿ

CORDIVARI
DESIGN

INOX STYLE

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

ACCESSORIES
TECHNICAL SUPPORT



TESSUTO®

design by **Marco Pisati**

PATENTED



5 YEARS WARRANTY

MATERIAL:

Aluminium heating elements 150 mm.

FIXING KIT:

Brackets, air vents, hexagonal tool, plugs and screws suitable for use on compact or hollow brick, installation notice included. The fixing kits are compliant with VDI 6034 norm, class 4.

Valve, holder and polished thermostatic head included.

PACKAGING:

The radiator is protected by protective corners, film in polyethylene and with a carton box.

PAINTING PROCESS:

Painted with ecological epoxy (Certificate DIN 55900-1,-2).

COLORS:

Radiator and fixing kit: standard white color R01. For other colors see color chart.

PRODUCT CERTIFICATES



AWARD



P. max: 6 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x G 1/2" - n° 1 x G 1/2"

Valve and holder included from heights 1200÷2200

HOW TO ORDER THE TESSUTO

ARTICLE CODE STRUCTURE

Radiator model	Width (Elements N°)	Height H in cm	Article code of the connection	Article code of the color/finish Different color from standard (R01 - R02) surcharge +30%	Constant value
AAAA	BB	CCC	DDD	EEE	B

Example

Radiator model Example: Tessuto radiator	Width (Elements N°) Example: 3 elements	Height H in cm Example: 1000 mm	Article code of the connection Example: connection V11	Article code of the finish Example: White color R01	Constant value
TESS	03	100	V11	R01	B

EXAMPLE OF ARTICLE CODE CREATION


In case of a TESSUTO 452x1000 mm radiator, with V11 connection.

The article code will be:

TESS 03 100 V11 R01 B

EACH RADIATOR IS UNIQUE

Each Tessuto radiator is unique, the image is always similar to the original but the rhythm is always different, resulting in infinite rhythms and designs. The assembly of the elements involves random combinations of the motif that makes each radiator a "unique" piece different from the others.



ACCESSORIES



HOOK RIGHT
L. 156 mm
Pure White R01

Art. Nr. 5991990310688




SIDE TOWEL BAR RIGHT
L. 233 mm
Pure White R01

Art. Nr. 5991990310691




HALF SIZE SHELF RIGHT
L. 233 mm
Pure White R01


Art. Nr. 5991990310694




**Valve, holder and
polished thermostatic
head included**




V09



V10




V11



Standard connections

Always specify the kind of connection needed when ordering.



Concealed valves included

Legend = In Out Airvent Pipe Centres L Width Connection

TESSUTO®

DDD: replace with the type of connection.

Art. Nr.	Height		El. N°	Pipe Centres ^(*)	Dry Weight	Surface	Water Content	Thermal output Watt		Exponent n.
	H [mm]	L [mm]						Δt = 50°C	Δt = 30°C	
TESS 02 120 DDD R01 B	1200	301	2	200	9,8	1,4	0,5	352	180	1,3123
TESS 03 120 DDD R01 B		452	3	350	14,8	2,0	0,8	528	270	1,3123
TESS 04 120 DDD R01 B		603	4	500	19,8	2,7	1,1	704	360	1,3123
TESS 02 140 DDD R01 B	1400	301	2	200	11,4	1,6	0,6	399	203	1,3239
TESS 03 140 DDD R01 B		452	3	350	17,3	2,4	0,9	599	305	1,3239
TESS 04 140 DDD R01 B		603	4	500	23,1	3,2	1,2	798	406	1,3239
TESS 02 160 DDD R01 B	1600	301	2	200	13,2	1,8	0,7	445	225	1,3354
TESS 03 160 DDD R01 B		452	3	350	19,9	2,7	1,0	667	337	1,3354
TESS 04 160 DDD R01 B		603	4	500	26,6	3,6	1,4	889	450	1,3354
TESS 05 160 DDD R01 B		754	5	650	33,4	4,5	1,7	1112	562	1,3354
TESS 02 180 DDD R01 B	1800	301	2	200	14,9	2,0	0,7	489	247	1,3376
TESS 03 180 DDD R01 B		452	3	350	22,4	3,1	1,1	734	370	1,3376
TESS 04 180 DDD R01 B		603	4	500	30,0	4,1	1,5	978	494	1,3376
TESS 05 180 DDD R01 B		754	5	650	37,5	5,1	1,9	1223	617	1,3376
TESS 02 200 DDD R01 B	2000	301	2	200	16,5	2,3	0,8	532	268	1,3397
TESS 03 200 DDD R01 B		452	3	350	24,9	3,4	1,2	798	403	1,3397
TESS 04 200 DDD R01 B		603	4	500	33,3	4,5	1,7	1064	537	1,3397
TESS 05 200 DDD R01 B		754	5	650	41,6	5,7	2,1	1331	671	1,3397
TESS 02 220 DDD R01 B	2200	301	2	200	18,2	2,5	0,9	574	289	1,3419
TESS 04 220 DDD R01 B		452	3	350	27,4	3,7	1,3	861	434	1,3419
TESS 04 220 DDD R01 B		603	4	500	36,6	5,0	1,8	1148	579	1,3419
TESS 05 220 DDD R01 B		754	5	650	45,8	6,2	2,3	1436	724	1,3419

Art. Nr. include **VALVE KIT, HOLDER AND THERMOSTATIC HEAD**, in accordance with **UNI-EN 215:2014** and **DM 19/02/2007**.

^(*)The pipe centers in the table and the pipe centers 50 refers only after valve assembly.

Art. Nr. are referred to WHITE R01 color version.

For output at different Δt than 50°C, please refer to the following formula = desired output = output at Δt 50°C x (desired Δt/50)ⁿ

CORDIVARI
DESIGN

INOX STYLE

EXTRASLIM®

NEO DESIGN

CLASSIC LINE

GRAPHIC PICTURE

ACCESSORIES
TECHNICAL SUPPORT